

CERTIFICATE OF ACCREDITATION

On behalf of the SEQOHS Accreditation Scheme

People Asset Management

Is hereby granted accreditation against the relevant SEQOHS Standards as stated in the accompanying Schedule of Accreditation.

This accreditation was determined following a formal assessment by independent assessors.

The above named organisation is hereby SEQOHS Accredited for a period of five years from the date of this certificate, dependent upon annual maintenance of the SEQOHS Standards and compliance with routine monitoring.

Wendy Loold

Wendy Ladd Interim SEQOHS Clinical Lead SEQOHS Accreditation Scheme 1 April 2022



Safe Effective Quality Occupational Health Service

SCHEDULE OF ACCREDITATION

The following SEQOHS Standards were achieved in accordance with Certificate No: 0428 :

| Domain | Standard | Item | | | | | |
|----------------------------------|----------|------|-----|-----|-----|-----|-----|
| A. Business probity | A1 | 1.1 | 1.2 | 1.3 | | | |
| | A2 | 2.1 | | | _ | | |
| B. Information governance | B1 | 1.1 | 1.2 | 1.3 | | _ | |
| | B2 | 2.1 | 2.2 | 2.3 | 2.4 | | _ |
| C. People | C1 | 1.1 | 1.2 | 1.3 | 1.4 | 1.5 | |
| | C2 | 2.1 | 2.2 | 2.3 | 2.4 | 2.5 | 2.6 |
| D. Facilities and equipment | D1 | 1.1 | 1.2 | 1.3 | 1.4 | 1.5 | |
| | D2 | 2.1 | 2.2 | 2.3 | | | - |
| | D3 | 3.1 | 3.2 | 3.3 | 3.4 | | |
| E. Relationships with purchasers | E1 | 1.1 | 1.2 | 1.3 | 1.4 | | |
| | E2 | 2.1 | 2.2 | 2.3 | 2.4 | | |
| F. Relationships with workers | F1 | 1.1 | 1.2 | 1.3 | 1.4 |] | |
| | F2 | 2.1 | 2.2 | | | _ | |

The service has been accredited against the construction specific evidence requirements within standards C1.2, C2.4 and E1.4

The service has been accredited against the NHS evidence requirements provided within the following standards A2.1, C2.5, E1.2, E1.3, E1.4 and E2.2

This service has been accredited against the 2015 SEQOHS standards

Accredited since April 2012

Reaccredited in 2017

Reaccredited in 2022

People Asset Management

Holly House, 73 Sankey Street, Warrington, WA1 1SL